

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

**Total blue 20 g slowly soluble**

SDS-Ref

07523

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Water treatment chemical

Professional use

Consumer use (private households)

### 1.3 Details of the supplier of the safety data sheet

Steinbach International GmbH

L. Steinbach Platz 1

4311 Schwertberg

Austria

Telephone: +43 7262 61431

e-Mail: info@steinbach-group.com

e-Mail (competent person): sdb@steinbach-group.com

### 1.4 Emergency telephone number

Country	Name	Postal code/city	Telephone	Opening hours
Austria	Vergiftungsinformationszentrale	1090 Wien	+43 1 406 4343 (24h)	
United Kingdom	National Poisons Information Service		111 (24h)	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.1O	acute toxicity (oral)	4	Acute Tox. 4	H302
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word

Warning

- Pictograms

GHS07, GHS09



Version number: GHS 1.0 (2020-11-11)

## - Hazard statements

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.

## - Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P271	Use only outdoors or in a well-ventilated area.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P312	Call a POISON CENTRE/doctor if you feel unwell.
P391	Collect spillage.
P501	Dispose of contents/container to hazardous or special waste collection point.

## - Supplemental hazard information

EUH031	Contact with acids liberates toxic gas.
EUH206	Warning! Do not use together with other products. May release dangerous gases (chlorine).

## - Hazardous ingredients for labelling

Symclosene

**2.3 Other hazards**

Results of PBT and vPvB assessment



This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not relevant (mixture).

**3.2 Mixtures**

Description of the mixture

Name of substance	Identifier	Classification acc. to GHS	Pictograms	Wt%
Symclosene	CAS No 87-90-1  EC No 201-782-8  Index No 613-031-00-5  REACH Reg. No 01-2120767978-27-xxxx	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Eye Irrit. 2 / H319 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		≥ 90
Boric acid	CAS No 10043-35-3  EC No 233-139-2  Index No 005-007-00-2  REACH Reg. No 01-2119486683-25-xxxx	Repr. 1B / H360FD		2.5 – < 5

For full text of abbreviations: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Let be drunken in little sips: 0,1-0,2l Water. Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

None.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

#### Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Hydrogen chloride (HCl), Chlorine (Cl<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use only in well-ventilated areas. Use local and general ventilation.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

Control of effects

- Protect against external exposure, such as

High temperatures, Frost, Humidity, UV-radiation/sunlight

- Ventilation requirements

Use local and general ventilation.

Version number: GHS 1.0 (2020-11-11)

## Packaging compatibilities

Professional use: Only packagings which are approved (e.g. acc. to ADR) may be used. Consumer use (private households): Keep only in original container.

## Conditions of storage

Keep container tightly closed in a cool place. Protect from sunlight. Keep away from children.

## 7.3 Specific end use(s)

There is no additional information.

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	chlorine	7782-50-5	IOELV			0.5	1.5			proc	2006/15/EC
GB	dust		WEL		10					i	EH40/2005
GB	dust		WEL		4					r	EH40/2005
GB	chlorine	7782-50-5	WEL			0.5	1.5			proc	EH40/2005

## Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
i	inhalable fraction
proc	substances released during the process
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Boric acid	10043-35-3	DNEL	4.15 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Boric acid	10043-35-3	DNEL	196 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Boric acid	10043-35-3	DNEL	0.98 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Boric acid	10043-35-3	DNEL	0.98 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic effects

## Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Boric acid	10043-35-3	PNEC	2.9 mg/l	aquatic organisms	freshwater	short-term (single instance)
Boric acid	10043-35-3	PNEC	2.9 mg/l	aquatic organisms	marine water	short-term (single instance)
Boric acid	10043-35-3	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Boric acid	10043-35-3	PNEC	5.7 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls (professional use)

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

- Eye/face protection

Use safety goggles with side protection (EN 166).

Skin protection

- Hand protection

In the case of wanting to use the gloves again, clean them before taking off and air them well.

- Type of material

PVC: polyvinyl chloride, NR: natural rubber, latex

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143)

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	blue
Odour	characteristic
Other safety parameters	
pH (value)	6.7 (water: 10 <sup>-9</sup> /l, 20 °C)
Melting point/freezing point	246.8 °C
Initial boiling point and boiling range	not determined
Flash point	not applicable
Evaporation rate	not determined
Flammability (solid, gas)	non-combustible

Version number: GHS 1.0 (2020-11-11)

Explosion limits of dust clouds	not determined
Vapour pressure	<0.002 Pa at 20 °C
Density	~1.9 g/cm <sup>3</sup>
Vapour density	this information is not available
Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none
Solubility(ies)	
- Water solubility	248.2 g/l at 25 °C
Partition coefficient	
- n-Octanol/water (log KOW)	-1.31
- Soil organic carbon/water (log KOC)	1.708

## 9.2 Other information

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

There is no additional information.

Release of toxic materials with:

Acids

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

**Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**Classification according to GHS (1272/2008/EC, CLP)****Acute toxicity**

Harmful if swallowed.

GHS of the United Nations, annex 4: May be harmful if inhaled.

**Acute toxicity estimate (ATE)**

Oral 528.5 mg/kg

Name of substance	CAS No	Exposure route	End-point	Value	Species
Symclosene	87-90-1	oral	LD50	787 mg/kg	rat
Symclosene	87-90-1	inhalation: dust/mist	LC50	>5.25 mg/l/4h	rat
Symclosene	87-90-1	dermal	LD50	>5,000 mg/kg	rabbit
Boric acid	10043-35-3	oral	LD50	3,450 mg/kg	rat
Boric acid	10043-35-3	dermal	LD50	>2,000 mg/kg	rabbit

**Skin corrosion/irritation**

Shall not be classified as corrosive/irritant to skin.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

**Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

**Carcinogenicity**

Shall not be classified as carcinogenic.

**Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

**Specific target organ toxicity - single exposure**

May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

**Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.



## SECTION 12: Ecological information

## 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

## Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Symclosene	87-90-1	LC50	0.23 mg/l	fish	96 h
Symclosene	87-90-1	EC50	0.17 mg/l	aquatic invertebrates	48 h
Symclosene	87-90-1	EbC50	2,700 mg/l	algae	72 h
Symclosene	87-90-1	ErC50	>100 mg/l	algae	72 h

## Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Symclosene	87-90-1	EC50	2,600 mg/l	aquatic invertebrates	21 d

## 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

## Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Symclosene	87-90-1		-1.31 (25 °C)	
Boric acid	10043-35-3		-1.09 (pH value: 7.5, 22 °C)	

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Other adverse effects

Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

## Endocrine disrupting chemicals (EDC)

Name of substance	CAS No	Combined category	Human health category	Wildlife category
Boric acid	10043-35-3	CAT1	CAT1	CAT2

## Legend

CAT1

CAT2

Category 1 - evidence of endocrine disruption in at least one species using intact animals

Category 2 - at least some in vitro evidence of biological activity related to endocrine disruption

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Other disposal recommendations

Dispose of contents/container to hazardous or special waste collection point. Waste treatment of containers/packagings: Mixed municipal waste.

**Relevant provisions relating to waste**

List of wastes (EU), Decision 2000/532/EC on the list of waste

Product Code/ Type of waste: 19 09 99



**Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**SECTION 14: Transport information**

<b>14.1 UN number</b>	3077
<b>14.2 UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Technical name (hazardous ingredients)	Symclosene
<b>14.3 Transport hazard class(es)</b>	
Class	9 (environmentally hazardous)
<b>14.4 Packing group</b>	III (substance presenting low danger)
<b>14.5 Environmental hazards</b>	hazardous to the aquatic environment
<b>14.6 Special precautions for user</b>	
Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
The cargo is not intended to be carried in bulk.	

**Information for each of the UN Model Regulations****Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

UN number	3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Class	9
Classification code	M7
Packing group	III
Danger label(s)	9, fish and tree  
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3

Version number: GHS 1.0 (2020-11-11)

Tunnel restriction code (TRC)

-

Hazard identification No

90

Emergency Action Code

2Z

**International Maritime Dangerous Goods Code (IMDG)**

UN number

3077

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Class

9

Marine pollutant

yes (hazardous to the aquatic environment)

Packing group

III

Danger label(s)

9, fish and tree



Special provisions (SP)

274, 335, 966, 967, 969

Excepted quantities (EQ)

E1

Limited quantities (LQ)

5 kg

EmS

F-A, S-F

Stowage category

A

**International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number

3077

Proper shipping name

Environmentally hazardous substance, solid, n.o.s.

Class

9

Environmental hazards

yes (hazardous to the aquatic environment)

Packing group

III

Danger label(s)

9, fish and tree



Special provisions (SP)

A97, A158, A179, A197

Excepted quantities (EQ)

E1

Limited quantities (LQ)

30 kg

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Relevant provisions of the European Union (EU)****Restrictions according to REACH, Annex XVII**

No	Name of substance	CAS No	Type of registration
30	Boric acid		1907/2006/EC annex XVII

**List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list**

Substance of Very High Concern (SVHC)			
Name acc. to inventory	CAS No	Listed in	Remarks
boric acid	10043-35-3	Candidate list	Repr. A57c

**Legend**candidate list  
Repr. A57cSubstances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV  
Toxic for reproduction (article 57c)**Seveso Directive**

No	Dangerous substance/hazard categories
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)

**Deco-Paint Directive (2004/42/EC)**

VOC content	0 %
-------------	-----

**Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content	0 %
-------------	-----

**Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

None of the ingredients are listed.

**Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

None of the ingredients are listed.

**Water Framework Directive (WFD)****List of pollutants (WFD)**

Name of substance	CAS No	Listed in	Remarks
Boric acid		A)	
Symclosene		A)	

**Legend**

A) Indicative list of the main pollutants

**National inventories**

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed

**Legend**

REACH Reg. REACH registered substances

**15.2 Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	hazardous to the aquatic environment - acute hazard
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
BCF	bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value

Abbr.	Descriptions of used abbreviations
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EbC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
Ox. Sol.	oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
STOT SE	specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	time-weighted average

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360FD	May damage fertility. May damage the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.